



QUALITY • SAFETY • ELEGANCE

2021 VOL.1

8


SAFETY FEATURES




High heating power and heat efficiency. Therefore saves gas and cooking time.




Carbon monoxide (CO) gas from incomplete combustion is maintained at a low 0.04% - prevents risks to health



Special ABS plastic knob does not crack easily



Gas pipe is coated with special anti-rust paint



Enamel-coated pan support withstands heat up to 800°C



The highest-quality gas valve lasts for 60,000 usage cycles; its performance is guaranteed up to 5 years



Type 304 stainless steel burner with excellent anti-rust quality



Sturdy construction is able to support up to 50kg of total weight

GREENNOVATION SERIES - SAVE GAS & COOKING TIME



Detachable Top Plate

Our table top cooker comes with a detachable top plate. This features allows for easy cleaning and maintenance.



2.9
kW



Inner Flame Burner
Intensive flame focus




Safety Device

RI-712Si

Burner	Stainless Steel
Top Plate	Stainless Steel
Dimensions (mm)	720 (W) x 415 (D) x 200 (H)
Form of Ignition	Battery Size "C" 1.5V
Gas Consumption	LPG (kw/h) 2.9 (L) 2.9 (R)



Save More Than 10% Gas
*compared to min requirement
set by local authority



NEW

ECONOMY SERIES



Sun Burner



Stainless Steel Head



RI-522SC

Burner	Stainless Steel
Top Plate	Enamel
Dimensions (mm)	700 (W) x 378 (D) x 149 (H)
Form of Ignition	Piezo Ignition
Gas Consumption	LPG (kw/h) 1.9 (L) 1.9 (R)

STAINLESS STEEL BURNER SERIES



Mega Burner
Powerful flame
(for both burners)

RI-522MM

Burner	Stainless Steel / Brass
Top Plate	Stainless Steel
Dimensions (mm)	700 (W) x 378 (D) x 157 (H)
Form of Ignition	Piezo Ignition
Gas Consumption	LPG (kw/h) 4.8 (L) 4.8 (R)



Tornado Burner
Powerful flame and
high durability

RI-602 HTB-S

Burner	Stainless Steel / Brass
Top Plate	Stainless Steel
Dimensions (mm)	702 (W) x 380 (D) x 141 (H)
Form of Ignition	Piezo Ignition
Gas Consumption	LPG (kw/h) 4.5 (L) 4.5 (R)



Mega Burner
Powerful flame
(for right burner only)

RI-522M

Burner	Stainless Steel / Brass
Top Plate	Stainless Steel
Dimensions (mm)	700 (W) x 378 (D) x 157 (H)
Form of Ignition	Piezo Ignition
Gas Consumption	LPG (kw/h) 3.8 (L) 4.8 (R)



Mega Burner
Powerful flame

RI-511M

Burner	Stainless Steel / Brass
Top Plate	Stainless Steel
Dimensions (mm)	280 (W) x 380 (D) x 154 (H)
Form of Ignition	Piezo Ignition
Gas Consumption	LPG (kw/h) 4.8

NEW**CAST IRON BURNER SERIES****5.25
kW**


Double Ring Burner
Strong flame for Asian cooking

RT-702SCC

Burner	Cast Iron / Brass
Top Plate	Stainless Steel
Dimensions (mm)	694 (W) x 468 (D) x 201.5 (H)
Form of Ignition	Piezo Ignition
Gas Consumption	LPG (kw/h) 5.25 (L) 5.25 (R)

**HEAVY COOKING SERIES****6.7
kW****RTL-35KS / 35K (Grey)**

Burner	Cast Iron
Top Plate	Stainless Steel
Dimensions (mm)	360 (W) x 480 (D) x 200 (H)
Form of Ignition	Piezo Ignition
Gas Consumption	LPG (kw/h) 6.7

**6.0
kW****RI-4RSP**

Burner	Cast Iron
Top Plate	Stainless Steel
Dimensions (mm)	864 (W) x 486 (D) x 198.5 (H)
Form of Ignition	Piezo Ignition
Gas Consumption	LPG (kw/h) 6.0 (L) 2.3 (C) 6.0 (R)

**6.0
kW****RI-2RSP**

Burner	Cast Iron
Top Plate	Stainless Steel
Dimensions (mm)	750 (W) x 486 (D) x 198.5 (H)
Form of Ignition	Piezo Ignition
Gas Consumption	LPG (kw/h) 6.0 (L) 6.0 (R)



Rinnai (Malaysia) Sdn Bhd (015790-A)

D2-3, Block D2, Pusat Dagangan Dana 1, Jalan PJU 1A/46,
47301 Petaling Jaya, Selangor Darul Ehsan, Malaysia.

Toll Free 1800-88-8180 Email enquiries@rinnai.com.my

Web www.rinnai.com.my

Dealer