

# Rinnai



A  
R  
T  
F  
U  
L  
N  
E  
S  
S  
*of*  
L  
I  
N  
E  
S

**SEN**SERIES  
ELECTRIC INSTANT WATER HEATER



## High-power hot shower

With 3.8kW heating capacity that shortens heating time, Rinnai Sen Series provides hot water faster to give you instantly relaxing hot shower, especially on a cold day.

## State-of-the-art features

Rinnai Sen series is designed with simplicity in aesthetics but built with a host of trusted Japanese technologies, ensuring top-notch durability and safety.



### 1-Knob Control

Easy temperature control with a turn.



### Earth Leakage Circuit Breaker (ELCB)

Cuts off electricity supply in the event of current leakage.



### Lightning & Surge Protection

Built-in surge protector protects from lightning strikes and current leakage.



### Dual Over Temperature Safety Cut-Off

Avoids overheating and scalding with auto-reset if water temperature exceeds set limit.

(Primary cut-off: 55°C; Secondary cut-off: 90°C)



### IP25 Splash-Proof Protection

ABS plastic waterproof casing is in compliant with IP25 Safety Standard to prevent water and dust.



### Auto Flow Sensor Switch

Shuts off heater automatically to avoid dry burn when water flow is too low.

**10**  
YEARS

Anti-Leak  
Tank

**5**  
YEARS

Heating  
Element

**2**  
YEARS

Internal  
Parts

**5**  
YEARS

DC  
Pump





# Silent operation

DC Inverter Pump delivers powerful water pressure yet remarkably silent, enabling you to immerse in a soothing, quiet bath at the same time.

## DC Inverter Pump


- Silent operation
- Save up to 50% energy compared to AC Pump
- Cost effective and eco-friendly
- Advanced brushless DC motor technology
- Maintenance-free, no carbon brush
- Pump speed control, suitable for high and low water pressure
- Longer lifespan
- 5-year warranty





### Extra Large (8 inches) Rainshower Head

Rainshower set sold separately.



### 3-Multi Spray Handshower

Comes with a choice of 3 classic spray nozzles

### RRS-B2XX

\*Without Hand Shower

+ 1.5m Hose

### Anti-Twist Hose

Prevents low water flow  
due to twisted hose



### Hot / Normal Water Faucet

Additional hot water source for baby bathtub,  
clothes pail, pet shower and other usage.



# Soothing colours

Available in 5 exquisite colours to blend seamlessly with your bathroom tiles.



REI-E380DP-C-TQ | REI-E380NP-C-TQ



REI-E380DP-BS-BK | REI-E380NP-BS-BK



REI-E380DP-C-BL | REI-E380NP-C-BL



REI-E380DP-C-BG | REI-E380NP-C-BG



REI-E380DP-B-WH | REI-E380NP-B-WH



SPRING APPROVED



TISI 1499-2847  
TISI APPROVED



QUATEST 3



Extra Large (8 inches)  
Rainshower Head  
Rainshower set sold separately.

## Splendid Splash

Living up to Japanese culture of incredible attention to detail, Rinnai Sen series comes with meticulously designed shower heads to let you shower just the way you like.

### 3-Multi Spray Handshower

Comes with a choice of 3 classic spray nozzles

**Aqua Turquoise (TQ), Sky Blue (BL), Sandy Beach (BG)**



### Anti-Twist Hose

Prevents low water flow due to twisted hose

### RRS-C1XX

\*Without Hand Shower + 1.5m Hose

### 5-Multi Spray Handshower

Comes with a choice of 5 classic spray nozzles

**Cirrus Cloud (WH)**





Black Rock (BK)



Aqua Turquoise (TQ)



Sky Blue (BL)



Sandy Beach (BG)



Cirrus Cloud (WH)

Matt Black Shower Model No.	REI-E380DP-BS-BK	REI-E380NP-BS-BK
<b>RCP</b>	RM 709	RM 473
Matt Black Rainshower Accessory Model No.	RRS-B2XX	
*Without Hand Shower + 1.5m Hose		
<b>RCP</b>	RM 328	
Chrome Shower Model No.	REI-E380DP-C-BG	REI-E380NP-C-BG
	REI-E380DP-C-BL	REI-E380NP-C-BL
	REI-E380DP-C-TQ	REI-E380NP-C-TQ
<b>RCP</b>	RM 656	RM 422
Shower Bracket Model No.	REI-E380DP-B-WH	REI-E380NP-B-WH
<b>RCP</b>	RM 612	RM 352
Rainshower Accessory Model No.	RRS-C1XX	
*Without Hand Shower + 1.5m Hose		
<b>RCP</b>	RM 279	

#### Specification

Pump	DC Inverter Pump	Without Pump
Thermostat	Double Action	
Power Rating	3.8kW	
Voltage	240V	
Water Temperature Control	Electronic Control	
Min Flow Rate	2L / min	
Min. Inlet Water Pressure	20 kPa	
Max. Inlet Water Pressure	600 kPa	
Cold Water Connection	15mm diameter Male Thread (1/2" BSP)	
Water Heater Dimension (W x D x H)	222 x 388 x 102 (mm)	
Water Heater Gift Box (W x D x H)	250 x 590 x 105 (mm)	
Gross Weight (Chrome Shower)	2.85kg	2.50kg
Net Weight (Chrome Shower)	1.80kg	1.45kg
Gross Weight (Shower Bracket)	2.55kg	2.20kg
Net Weight (Shower Bracket)	1.80kg	1.45kg

#### Features

Earth Leakage Circuit Breaker (ELCB)	✓	✓
Lightning & Surge Protection	✓	✓
Dual Over Temperature Safety Cut-off	✓	✓
IP25 Splash-Proof Protection	✓	✓
Auto Flow Sensor Switch	✓	✓
Electronic Pump Speed Control	✓	X
High Quality Stop Valve	✓	✓
Anti Leak Heater Tank	✓	✓

#### Rinnai (Malaysia) Sdn. Bhd. (015790-A)

D2-3, Block D2, Pusat Dagangan Dana 1, Jalan PJU 1A/46,

Ara Damansara 47301 Petaling Jaya, Selangor.

Email: enquiries@rinnai.com.my

Toll Free: 1800 88 8180



rinnaimalaysia



www.rinnai.com.my