



HOWARO C - THE SMART SENSOR COOKER



Timer

Can set up to 90 mins (flame will auto cut-off when time is up)



Temperature Sensor

Sensor captures temperature to perform various cooking functions and safety features



360° Grill

Heat is circulated evenly within the grill chamber to achieve maximum taste of the grills



Auto-Adjust Flame Level

Sensor will adjust burner flame level accordingly to prevent abnormal overheating or oil from catching fire



Ignition Safety Lock

To prevent accidental ignition (especially by children)



Safety Auto Cut-Off

If burner flame accidentally extinguished or left unattended for more than 2 hours, flame and gas supply will be automatically shut off



Temperature Sensor

Thanks to this special sensor, the Howaro C is able to perform many functions by sensing the temperature of the pot or pan.

- | | |
|--|--|
| <p>Cooking functions:</p> <ul style="list-style-type: none"> • Timer Mode • Rice Cooking Mode • Water Boiling Mode • Temperature Setting Mode • High-Temperature Cooking Mode | <p>Safety features:</p> <ul style="list-style-type: none"> • Auto-adjust the flame level accordingly to avoid abnormal overheating or oil from catching fire • Gas supply will be auto cut-off if the flame is extinguished by overflow liquid or strong wind • Grill flame will be auto cut-off if the grill chamber overheats • If detects burning of food, flame will be auto cut-off |
|--|--|





360° Grill + Rinnai Exclusive Cocotte Plate

Grill a variety of food with the specially-designed Cocotte Plate that comes with the Howaro C.

Heat circulated evenly within the grill chamber combine with the slit-design of the Cocotte Plate cover allows heat to be well-contained and properly transmitted throughout to achieve maximum taste of the grills. The slits also help to minimise oil splatters for easier cleaning.

The wave-like design of the Cocotte Plate with side drain catches excess oil drippings.







RTC-6912SG-EWS-RM

WM: RM 2,292 EM: RM 2,407

- Gas Input (LPG)
High Flame Burner (L): 4.2kW
Standard Burner (R): 2.97kW
Grill: 2.0kW
- Ignition System: Continuous Spark
- Dimension: W 596mm x D 495mm x H218mm



Rinnai (Malaysia) Sdn. Bhd. (197301002447)

Unit 2-8, Subplace Boulevard, Pusat Komersil Vestland,
No.6, Jalan Juruanalisis U1/35, Seksyen U1,
40150 Shah Alam, Selangor, Malaysia.
Toll Free: 1800-88-8180

   rinnaimalaysia
www.rinnai.com.my



Product Videos