

Rinnai

AQUARIUS

Digital Thermostatic
Instant Water Heater



Elevate Your Shower Experience: Precision Temperature Control for Your Comfort

The **Aquarius Series** Digital Thermostatic Instant Water Heater is designed for those who seek simplicity, efficiency, and elegance in their daily routine. With its innovative **Thermostatic Constant Temperature (TCT)** technology, this model ensures that your shower temperature stays within a precise $\pm 1^{\circ}\text{C}$ range, guaranteeing your perfect comfort. The **one-touch mode** allows users to easily switch between Cold, Eco (36°C), and Hot (40°C) settings without the hassle of manual adjustments.

The **Inverter Turbo DC Pump** and **large needle jet shower spray** deliver powerful water flow, making every shower refreshing and luxurious.

Finished with **a sophisticated gunmetal grey anti-UV cover** and **IP26 splash-proof rating**, The **Aquarius Series** is not only practical but also aesthetically pleasing.



A standout feature of the **Aquarius Series** is its **Eco Mode**, which immediately sets the water temperature to 36°C, the optimal balance for energy-saving and comfort. With an easy-to-read **large display** and responsive **capacitive sensor touch controls**, you'll enjoy intuitive operation every time.

Plus, safety is at the forefront with **ground line monitoring**, **RCD protection**, and a power bar that indicates when maximum capacity is reached, prompting you to adjust the water flow.

Easy Switching 3 – Spray Showerhead



Spot Spray

Concentrated spray to relax tense area



Saturating Spray

Intense jets of micro-droplets to cleanse your body from lethargy



Mix Spray

Mix spray that combines rich yet soft and strong revitalizing water texture.



3-Way Shower Selector

The switch selector on the shower head provides 3-way control of the shower flow: Spot, Saturating, or Mix Spray.

The Selector Button is built into the grip for easy access, allowing you to switch the spray with a single hand.

Rinnai

AQUARIUS

Digital Thermostatic Instant Water Heater

Model No.	REI- F380DP-BL
Rated Voltage	240V
Rated Power	3.8kW
Water Temperature Control Method	Electronic Thermostatic Constant Temperature Control
Water Heater Dimensions (W x D x H)	220mm x 79mm x 390mm
Water Heater Gift Box Dimensions (W x D x H)	230 mm x 130 mm x 630 mm
Cold Water Connection	15mm diameter Male Thread (1/2" BSP)
Weight	
Gross Weight	3.4kg
Net Weight	1.9kg
Performance	
Min Flow Rate	2 L/min
Max Flow Rate	6 L/min
Min Pressure	20 kPa (2.9 psi)
Max Pressure	380 kPa (55 psi)
Features	REI- F380DP-BL
RCD Protection	✓
3 Stage Thermal Protection	✓
Shock Proof Protection	✓
Active Shield	✓
IP26 Splash-Proof Protection	✓
Touch Control User Interface	✓
DC Inverter 55W Turbo Pump	✓
Built in Dual Thermistor	✓
Anti Leak Heater Tank	✓
RCP	RM 858 (WM) RM 900 (EM)

ActiveShield Technology

Error Code

E1

Current Leakage Detected

TRIPLE SAFETY PROTECTION

SHOCK PROOF PROTECTION
3 STAGE THERMAL PROTECTION
RCD PROTECTION

E2

Inlet Thermistor Fault

ACTIVESHIELD

RCD rated 10 mA

E3

Outlet Thermistor Fault

3 MEMORY SHOWER MODE

E4

Overheat Blinks

THERMOSTATIC CONSTANT TEMP

DUAL THERMISTOR

Earth Problem (Earth Wire Fault / Disconnected)

LOW PRESSURE PUMP ACTIVATOR

On = RCD is working Safe for shower

ENERGY SAVING

DC INVERTER 55W TURBO PUMP

Accreditation



Rinnai (Malaysia) Sdn. Bhd. (187301002447)
Unit 2-8, Subplace Boulevard, Pusat Komersil Vestland,
No.6, Jalan Juruanalisis U1/35, Seksyen U1,
40150 Shah Alam, Selangor, Malaysia.
Fax: +603 5038 8905
Toll Free: 1800 88 8180
f rinnaimalaysia
www.rinnai.com.my
enquiries@rinnai.com.my

