

Rinnai



A
R
T
F
U
L
N
E
S
S
of
L
I
N
E
S

SENSERIES
ELECTRIC INSTANT WATER HEATER



High-power hot shower

With 3.8kW heating capacity that shortens heating time, Rinnai Sen Series provides hot water faster to give you instantly relaxing hot shower, especially on a cold day.

State-of-the-art features

Rinnai Sen series is designed with simplicity in aesthetics but built with a host of trusted Japanese technologies, ensuring top-notch durability and safety.



1-Knob Control

Easy temperature control with a turn.



Earth Leakage Circuit Breaker (ELCB)

Cuts off electricity supply in the event of current leakage.



Lightning & Surge Protection

Built-in surge protector protects from lightning strikes and current leakage.



Dual Over Temperature Safety Cut-Off

Avoids overheating and scalding with auto-reset if water temperature exceeds set limit.
(Primary cut-off: 55°C; Secondary cut-off: 90°C)



IP25 Splash-Proof Protection

ABS plastic waterproof casing is in compliant with IP25 Safety Standard to prevent water and dust.



Auto Flow Sensor Switch

Shuts off heater automatically to avoid dry burn when water flow is too low.

10
YEARS

Anti-Leak
Tank

5
YEARS

Heating
Element

2
YEARS

Internal
Parts

5
YEARS

DC
Pump





Silent operation

DC Inverter Pump delivers powerful water pressure yet remarkably silent, enabling you to immerse in a soothing, quiet bath at the same time.

DC Inverter Pump

- Silent operation
- Save up to 50% energy compared to AC Pump
- Cost effective and eco-friendly
- Advanced brushless DC motor technology
- Maintenance-free, no carbon brush
- Pump speed control, suitable for high and low water pressure
- Longer lifespan
- 5-year warranty





Extra Large (8 inches) Rainshower Head

Rainshower set sold separately.



3-Multi Spray Handshower

Comes with a choice of 3 classic spray nozzles

RRS-B2XX

*Without Hand Shower

+ 1.5m Hose

Anti-Twist Hose

Prevents low water flow
due to twisted hose



Hot / Normal Water Faucet

Additional hot water source for baby bathtub,
clothes pail, pet shower and other usage.



Soothing colours

Available in 5 exquisite colours to blend seamlessly with your bathroom tiles.



REI-E380DP-C-TQ | REI-E380NP-C-TQ



REI-E380DP-BS-BK | REI-E380NP-BS-BK



REI-E380DP-C-BL | REI-E380NP-C-BL



REI-E380DP-C-BG | REI-E380NP-C-BG



REI-E380DP-B-WH | REI-E380NP-B-WH





Extra Large (8 inches)
Rainshower Head
Rainshower set sold separately.

Splendid Splash

Living up to Japanese culture of incredible attention to detail, Rinnai Sen series comes with meticulously designed shower heads to let you shower just the way you like.

3-Multi Spray Handshower

Comes with a choice of 3 classic spray nozzles

Aqua Turquoise (TQ), Sky Blue (BL), Sandy Beach (BG)



Anti-Twist Hose

Prevents low water flow due to twisted hose

RRS-C1XX

*Without Hand Shower + 1.5m Hose

5-Multi Spray Handshower

Comes with a choice of 5 classic spray nozzles

Cirrus Cloud (WH)





Black Rock (BK)



Aqua Turquoise (TQ)



Sky Blue (BL)



Sandy Beach (BG)



Cirrus Cloud (WH)

Matt Black Shower Model No.	REI-E380DP-BS-BK	REI-E380NP-BS-BK
RCP	RM 709	RM 473
Matt Black Rainshower Accessory Model No.	RRS-B2XX	
*Without Hand Shower + 1.5m Hose		
RCP	RM 328	
Chrome Shower Model No.	REI-E380DP-C-BG	REI-E380NP-C-BG
	REI-E380DP-C-BL	REI-E380NP-C-BL
	REI-E380DP-C-TQ	REI-E380NP-C-TQ
RCP	RM 656	RM 422
Shower Bracket Model No.	REI-E380DP-B-WH	REI-E380NP-B-WH
RCP	RM 612	RM 352
Rainshower Accessory Model No.	RRS-C1XX	
*Without Hand Shower + 1.5m Hose		
RCP	RM 279	

Specification

Pump	DC Inverter Pump	Without Pump
Thermostat	Double Action	
Power Rating	3.8kW	
Voltage	240V	
Water Temperature Control	Electronic Control	
Min Flow Rate	2L / min	
Min. Inlet Water Pressure	20 kPa	
Max. Inlet Water Pressure	600 kPa	
Cold Water Connection	15mm diameter Male Thread (1/2" BSP)	
Water Heater Dimension (W x D x H)	222 x 388 x 102 (mm)	
Water Heater Gift Box (W x D x H)	250 x 590 x 105 (mm)	
Gross Weight (Chrome Shower)	2.85kg	2.50kg
Net Weight (Chrome Shower)	1.80kg	1.45kg
Gross Weight (Shower Bracket)	2.55kg	2.20kg
Net Weight (Shower Bracket)	1.80kg	1.45kg

Features

Earth Leakage Circuit Breaker (ELCB)	✓	✓
Lightning & Surge Protection	✓	✓
Dual Over Temperature Safety Cut-off	✓	✓
IP25 Splash-Proof Protection	✓	✓
Auto Flow Sensor Switch	✓	✓
Electronic Pump Speed Control	✓	X
High Quality Stop Valve	✓	✓
Anti Leak Heater Tank	✓	✓

Rinnai (Malaysia) Sdn. Bhd. (015790-A)

D2-3, Block D2, Pusat Dagangan Dana 1, Jalan PJU 1A/46,

Ara Damansara 47301 Petaling Jaya, Selangor.

Email: enquiries@rinnai.com.my

Toll Free: 1800 88 8180**rinnaimalaysia****www.rinnai.com.my**