



**Rinnai (Malaysia) Sdn. Bhd.** (197301002447)  
Unit 2-8, Subplace Boulevard, Vestland Commercial Centre,  
No.6, Jalan Juruanalisis U1/35, Seksyen U1,  
40150 Shah Alam, Selangor Darul Ehsan, Malaysia.  
Fax: +603 5038 8905

**Toll Free: 1800 88 8180**



Dealer:

# Rinnai

Premium  
*Innovation*  
for Modern Living

**NO.1**  
KITCHEN APPLIANCES  
IN JAPAN

\* For gas cooking appliances



# Inner Flame

Armed with 52% heat efficiency (JIS standards), the Inner Flame burner cooks faster and uses lesser gas than conventional gas hobs with 40% heat efficiency.

## Tornado Inner Flame

### Versatile Flame Settings with Simmer

Perfect flame control with powerful, controllable and even heating, providing the ideal setting to cook your favourite Asian dishes.

### Save Gas and Cooking Time

The Inner Flame burner helps reduce energy - it heats the cookware from the middle - resulting in less heat lost.



## RB-3CGT 3 Inner Burner Gas Hob



- Inner Flame
- High Heat Efficiency
- Schott Ceran Glass
- Safety Device
- Timer
- Simmer Control
- Cast Iron Pan Support
- Battery Ignition

**Gas Input (LPG)** L/R 3.6kW C 1.5kW

**Product Dimension** W853 D434 H66 (mm)

**Cut-out Dimension** W815 D405 (mm)

**WM RM 6,404 EM RM 6,725**



## RB-2CGT 2 Inner Burner Gas Hob



- Inner Flame
- High Heat Efficiency
- Schott Ceran Glass
- Safety Device
- Timer
- Simmer Control
- Cast Iron Pan Support
- Battery Ignition

**Gas Input (LPG)** L/R 3.6kW

**Product Dimension** W738 D434 H66 (mm)

**Cut-out Dimension** W703 D403 (mm)

**WM RM 4,699 EM RM 4,934**



## RB-2GIF 2 Inner Burner Gas Hob

- Inner Flame
- High Heat Efficiency
- Tempered Glass
- Safety Device
- Simmer Control
- Flexible Cut-out
- Cast Iron Pan Support
- Battery Ignition

**Gas Input (LPG)** L/R 3.5kW

**Product Dimension** W780 D450 H66 (mm)

**Cut-out Dimension** W650-734 D350-416 (mm)

**WM RM 2,100 EM RM 2,205**






# LOTUS FLAME

Rinnai's Exclusive  
Triple-Deck 3D Flame



Exclusive triple-deck Lotus Burner design, with 3D flames surrounding and covering the bottom of the pot, ensuring even and complete heat distribution. It heats up quickly and efficiently, without wasting excess energy, meeting first-level heat efficiency standards of 67% (MS 1535 : 2002).



## Lotus Flame



The 'Greenovation' platform is a breakthrough idea that brings together a synergy of 'innovative technology' and 'environmental sustainability'. 'Greenovation' is the new benchmark for real GREEN products by RINNAI. Our products reimagine the cycles of energy consumption and discharges whilst enhancing overall cooking efficiency.



### RB-L2620G-RM 2 Lotus Burner Gas Hob

- Lotus Triple Flame
- LED Blue Light Knob
- Simmer Control
- Safety Device
- Sealed Burner
- Tempered Glass
- Timer
- Battery Ignition
- Cast Iron Pan Support

Gas Input (LPG) L/R 4.2kW

Product Dimension W755 D435 H145 (mm)

Cut-out Dimension W670 D350 (mm)

WM RM 4,699 EM RM 4,934



RB-7022HE-CB  
Combi Vitroceramic & Induction Hob

- Schott Ceran Glass
- 9 Power Levels
- Touch Sensor
- Pan Recognition Sensor (For Induction Zone)
- Residual Heat Indicator (For Vitroceramic Zone)
- Booster Function (For Induction Zone)
- Timer (99 min)
- Child Lock
- Safety Switch Off

**L** 1.1kW / 2.2kW (ø140 / 230mm)  
**R** 1.8kW / 2.1kW (ø220mm)  
**Total Power** 4300W

**Product Dimension** W710 D410 H60 (mm)  
**Cut-out Dimension** W680 D380 (mm)

WM RM 3,455 EM RM 3,628

RB-7013H-CB  
Induction Hob

- Schott Ceran Glass
- 9 Power Levels
- Touch Sensor
- Pan Recognition Sensor
- Booster Function
- Timer (99 min)
- Safety Switch Off
- Child Lock

**L** 1.8kW / 2.1kW (ø210mm)  
**C** 1.2kW / 1.5kW (ø160mm)  
**R** 1.8kW / 2.1kW (ø210mm)  
**Total Power** 4600W

**Product Dimension** W710 D410 H58 (mm)  
**Cut-out Dimension** W680 D380 (mm)

WM RM 3,938 EM RM 4,135

# Electric Hob Series

RB-6024E-CB  
Vitroceramic Hob

- Schott Ceran Glass
- 9 Power Levels
- Touch Sensor
- Residual Heat Indicator
- Timer (99 min)
- Safety Switch Off
- Child Lock

**FL** 1.1kW / 2.2kW (ø140mm / ø230mm)  
**FR** 1.2kW (ø165mm)  
**RL** 1.2kW (ø165mm)  
**RR** 1.8kW (ø200mm)  
**Total Power** 6400W

**Product Dimension** W590 D520 H50 (mm)  
**Cut-out Dimension** W560 D490 (mm)

WM RM 3,196 EM RM 3,356

RB-6024H-CB  
Induction Hob

- Schott Ceran Glass
- 9 Power Levels
- Touch Sensor
- Pan Recognition Sensor
- Booster Function
- Timer (99 min)
- Safety Switch Off
- Child Lock

**FL** 1.8kW / 2.1kW (ø210mm)  
**FR** 1.2kW / 1.5kW (ø160mm)  
**RL** 1.2kW / 1.5kW (ø160mm)  
**RR** 1.8kW / 2.1kW (ø180mm)  
**Total Power** 7200W

**Product Dimension** W590 D520 H58 (mm)  
**Cut-out Dimension** W560 D490 (mm)

WM RM 4,265 EM RM 4,479



Power sharing feature optimizes energy usage and prevents overload. It distributes power among the cooking zones, allowing them to operate efficiently together. When only one zone is in use, it can utilize the maximum power (Level 9). However, when multiple zones are active, the power is alternated between them to maintain performance. The last command given to a cooking zone takes priority on the power setting.  
(RB-7013H-CB / RB-6024H-CB / RB-5022H-CB / RB-3022H-CB)



RB-5022H-CB  
Induction Hob

- Schott Ceran Glass
- 9 Power Levels
- Touch Sensor
- Pan Recognition Sensor
- Booster Function
- Timer (99 min)
- Safety Switch Off
- Child Lock

**L** 1.8kW / 2.1kW (ø210mm)  
**R** 1.2kW / 1.5kW (ø160mm)  
**Total Power** 3400W

**Product Dimension** W520 D290 H58 (mm)  
**Cut-out Dimension** W490 D270 (mm)

WM RM 2,651 EM RM 2,784



RB-5022E-CB  
Vitreoceramic Hob

- Schott Ceran Glass
- 9 Power Levels
- Touch Sensor
- Residual Heat Indicator
- Stop / Go Function
- Timer (99 min)
- Safety Switch Off
- Child Lock

**L** 1.8kW (ø200mm)  
**R** 1.2kW (ø165mm)  
**Total Power** 3000W

**Product Dimension** W520 D290 H50 (mm)  
**Cut-out Dimension** W490 D270 (mm)

WM RM 2,314 EM RM 2,430

RB-3012E-CB  
Vitreoceramic Hob

- Schott Ceran Glass
- 9 Power Levels
- Touch Sensor
- Residual Heat Indicator
- Stop / Go Function
- Timer (99 min)
- Safety Switch Off
- Child Lock

**F** 1.8kW (ø200mm)  
**B** 1.2kW (ø165mm)  
**Total Power** 3000W

**Product Dimension** W310 D520 H50 (mm)  
**Cut-out Dimension** W270 D490 (mm)

WM RM 2,314 EM RM 2,430



RB-3022H-CB  
Induction Hob

- Schott Ceran Glass
- 9 Power Levels
- Touch Sensor
- Pan Recognition Sensor
- Booster Function
- Timer (99 min)
- Safety Switch Off
- Child Lock

**F** 1.8kW / 2.1kW (ø210mm)  
**B** 1.2kW / 1.5kW (ø160mm)  
**Total Power** 3400W

**Product Dimension** W310 D520 H58 (mm)  
**Cut-out Dimension** W270 D490 (mm)

WM RM 2,651 EM RM 2,784






Ultra-modern  
*Art*  
Dual-function Appliance

Designed for cooking islands, Rinnai RH-D3154 Plasma Hood is both a masterpiece of artistry and technology. It filters out grease and fumes from kitchen air while adorning and illuminating your cooking space with its trendy colour and decorative light.

Thanks to its lightweight and compact size, Rinnai RH-D3154 Plasma Hood can be flexibly mounted onto the ceiling. With plasma purification technology, it ensures there is no escape for vapour and odours while its low noise operation maintains a quieter open kitchen as you cook and chat with your loved ones.



### RH-D3154 40cm Plasma Island Hood

- Plasma Air Purification Technology
- LED Touch Sensor Control
- Decorative Strip Light
- Activated Carbon Filter
- Remote Control
- Delay Timer
- 3 Speed Settings
- Clean & Fresh
- Booster Function
- \* Recirculation

**Suction Power** 650m3/h

**Product Dimension** W410 x D410 x H590-2490 (mm)

- RH-D3154-BKR (Black)
- RH-D3154-BLR (Blue)
- RH-D3154-ORR (Orange)

**WM RM 4,700 EM RM 4,935**





### RH-L3619-PGW 90cm L Shape Hood

- LED Touch Sensor Control
- Wave Control
- Ozone Disinfection Function
- Heat Clean Function
- DC Inverter Motor
- LED Light
- Colour Changing Mood Light
- 3 Speed settings
- Booster Function
- Delay Timer
- Ventilation
- Recirculation
- Oil Cup
- Mesh Charcoal Filter
- Clean & Fresh
- 884PA Static Pressure

**Suction Power** 1800m3/h

**Product Dimension** W895 D380 H880-1310 (mm)

**WM RM 5,100 EM RM 5,355**



#### Ozone Disinfection Function

The ozonizer in the cooker hood disinfects the kitchen by generating ozone, which effectively reduces cooking smells, kills bacteria and viruses. Active ozone is being released to help eliminate bacteria, neutralize odors, and maintain a more hygienic cooking environment. It's an added layer of protection for healthier living and minimizes cross-contamination.



### RH-KM6069-PBV 90cm Compact Slanted Hood

- DC Inverter Motor
- Wave Control
- LED Touch Sensor Control
- Clean & Fresh
- Ventilation
- 3 Speed Settings
- Booster Function
- Delay Timer
- LED Light
- Oil Cup
- 1100PA Static Pressure

**Suction Power** 2230m3/h

**Product Dimension** W895 D354 H723-1103 (mm)

**WM RM 3,773 EM RM 3,962**



# Awe-inspiring Angle Impressive Efficiency

## RH-C1059-PBW 90cm Chimney Hood

- LED Touch Sensor Control
- Decorative LED Light
- 3 Speed settings
- Booster Function
- Delay Timer
- Recirculation
- Clean & Fresh
- Oil Cup
- Rectifier Panel
- Mesh Filter
- Ventilation

**Suction Power** 1200m3/h

**Product Dimension** W898 x D500 x H550-1030 (mm)

**WM RM 3,477 EM RM 3,651**




### Rectifier Panel

Full acceleration speeds up the extractions of smoke and grease.



### Clean and Fresh

Discover the ultimate solution for a spotless and refreshing kitchen atmosphere. Once activated, Clean and Fresh function is preset to work for 6 mins each hour for 24 hours at fan setting speed 1. Say goodbye to grease, odours and stale air, and welcome a new era of cooking comfort and cleanliness.



### Oil Cup

The Oil Cup under the extraction motor will collect oil from the air that passes the mesh filter, suitable for Asian cooking.



## RH-S3059-PBW 90cm Slim Hood

- LED Touch Sensor Control
- Decorative LED Light
- 3 Speed settings
- Delay Timer
- Recirculation
- Ventilation
- Mesh Filter

**Suction Power** 580m3/h

**Product Dimension** W898 x D495 x H110 (mm)

**WM RM 1,200 EM RM 1,260**





# HOWAROC

Table Top Cooker with Grill



## Rinnai Exclusive Cocotte Plate

Grill a variety of food with the Cocotte Plate. The wave-like design of the plate with side drain catches excess oil drippings. The slit-design of the cover allows heat to be transmitted and minimise oil splatters for easier cleaning.



## RTC-6912SG-EWS-RM Table Top Cooker with Grill

- 360° Grill Function
- Water Boiling Mode
- Rice Cooking Mode
- Deep Fry Temperature Control
- Temperature Sensor
- Timer
- Auto-adjust Flame Level
- Safety Auto Cut-off
- Ignition Safety Lock

**Gas Input (LPG)** High Flame Burner (L): 4.4kW  
Standard Burner (R): 3.25kW  
Grill: 2.5kW

**Ignition System** Continuous Spark

**Product Dimension** W596 D495 H218 (mm)

**WM RM 2,292 EM RM 2,407**



## 360° Heating

Heat is circulated evenly to achieve maximum taste of the grills

## Temperature Sensor


This sensor has many abilities by sensing the temperature of the pot or pan. It can sense abnormal temperature and auto-adjust the flame level. It also has a safety auto cut-off in the event the flame is being extinguished by overflow liquid or wind.



## Temperature Setting

No need to worry of inconsistent cooking temperature ruining your cooking.

Now you can select a specific temperature and the flame will be auto-adjusted to maintain within the selected temperature (160°C, 180°C, 200°C). It's great for frying or pan-grilling food!



## Timer

Allows you to conveniently set cooking timer up to 90 minutes (auto cut-off the flame when time is up) for more controlled cooking.



## Rice Cooking Mode


Cook rice easily with this function. You can also use this function to cook porridge!



## Water Boiling Mode

Flame will be auto cut-off once water is boiled.

Choose between auto-off or keep warm for another 5mins before cut-off.





# Built-In Queen

With Rinnai's Built-in Ovens, you can create your ideal dishes with just a few simple settings. You can bake, grill, slow/fast heat or do conventional roasting. The ovens are also equipped with extra-large cavity.

3D Hot Air also distribute heat evenly so that you can cook different types of food on different shelves simultaneously without worrying the smells and tastes will be transferred from one dish onto another.



## Air Fry Function

Enjoy your favourite fried dishes with less oil using the Air Fry function. Powerful hot air circulation cooks food evenly to achieve a crispy outside and tender inside, delivering healthier results without the need for deep frying



## 77<sup>l</sup>XL CAPACITY

The spacious 77L oven capacity provides ample grilling space, allowing you to cook multiple skewers at once with ease. Ideal for gatherings or family meals, it ensures even heat distribution for perfectly grilled satay, kebabs, and other skewered favourites.



## RO-E6523M-EB 60CM/77LT Built-In Oven

- Super Size Capacity: 77lt
- 13 Functions
- 3D Circular Heating
- Push-Pull Rotary Knobs with Touch Control Panel
- Triple Glazed Cool-to-touch Door
- Gentle Open And Close Door
- Dynamic Oven Cooling Plus (Reduce Temperature to 60°C)
- Clip on Pull-Out Rail x 2
- Air Fry
- Gratin
- Fast Preheat
- EcoClean Enamel
- Energy Efficiency Class: A

**Temperature Setting** 50°C - 300°C

**Product Dimension** W595 D564 H595 (mm)

**Cut-out Dimension** W560 D550 H585 (mm)

**WM RM 5,600 EM RM 5,880**





# Built-In Combi Oven

Enjoy multifunction cooking versatility with Steam, Air Fry, and Roast functions in one combination oven. Steam helps retain moisture and nutrients, Air Fry delivers crispy results with less oil, while Roast ensures even browning and rich flavour—perfect for preparing a wide variety of dishes with ease.



## 7 Multi-Dimensional Bake Modes

Temperature Range: 40-230°C. Cook with precision every time, the intelligent internal temperature probe ensures precise temperature control.



**High Power Bake**  
Top Inner & Outer Heater, Fan



**Convection Bake**  
Back Heater, Fan



**Convection Grill**  
Top Inner Heater, Back Heater, Fan



**Low Power Grill**  
Top Inner Heater



**Low Power Bake**  
Top Inner Heater, Fan




**High Power Grill**  
Top Inner & Outer Heater



**Steam Bake**  
Top Inner & Outer Heater, Steam Generator

## High Temperature Steam Lock in Freshness and Nutrition


With powerful 360° steam circulation, food is cooked evenly while retaining its natural nutrients and flavors. Perfect for seafood, vegetables, and delicate dishes, delivering a healthy and delicious dining experience every time.



Pure Steam  
(35-100°C)



Quick Steam  
(110°C)



Power Steam  
(120°C)



## Oil-Free Air Frying Crispy Taste, Healthier Living

Experience guilt-free indulgence with 360° hot air circulation that delivers a crispy golden texture without excess oil. Enjoy your favorite fried foods that are lighter, healthier, and just as delicious.

## RO-C5611TA-SB 60CM 3 in 1 Built-In Combi Oven

- Super Size Capacity: 50lt
- 35 Auto Program Recipe
- 3D Turbo Fan for Even Heating
- Sensor Touch Control with LED Display
- 3 Layer Glass Door
- Water Tank Capacity 1.2l
- Power Rating 2600W
- Steam Mode
- Bake Mode
- Air Fry

**Temperature Setting** 40°C - 220°C

**Product Dimension** W595 D550 H455 (mm)

**Cut-out Dimension** W560 D550 H450 (mm)

**WM RM 4,800 EM RM 5,040**





## RDW-U1816-GBW Dishwasher


- Free standing or Built-under
- Spacious 18-Place Setting Capacity
- Innovative 4-Arm Spray System
- Colourful Touchscreen Control with Visual Guidance
- AI Smart Wash
- 10 + 6 Wash Programs
- Independent Layered Washing
- 4-Layer Disinfection Technology
- 99% Bacterial Removal Rate
- 168-Hour Fresh Air Storage

**Product Dimension** W598 D596 H795 - 805 (mm)  
**Cut-out Dimension** W605 D600 H770 - 825 (mm)

**WM RM 5,900 EM RM 6,195**

# Dishwasher

Engineered for modern kitchens, this smart dishwasher delivers powerful cleaning with a large 130-piece capacity, featuring 75°C high-temperature sterilization and AI wash to effectively eliminate grease and bacteria, and 4-Layer Disinfection Technology with multi-directional spray coverage for thorough, hygienic cleaning in every corner.



**130pcs**  
in 1 wash

**75°C**  
High-Temperature  
Sterilization  
Wash

**Auto-**  
Ventilation  
Drying  
(to remove  
moisture)

**Antibacterial**  
Water Path  
(waterway hygiene  
protection)

**5-Star Grade**  
Disinfection  
Function

**4-Layer Disinfection Technology**





# Laundry Series

Rinnai's Gas Clothes Dryer can save more than half the time required by electric dryer and it keeps your laundry EXTRA soft and fluffy without shrinking your clothes.



**OP-WS-60HSF  
Wall Rack**

WM RM 280 EM RM 294

**OP-LDS-80HSF  
Standing Rack**

WM RM 550 EM RM 578



**RDT-90-RM-S  
Gas Clothes Dryer**

- Maximum Drying Content: 9kg
- Standard Drying Time: 90 min (approximately)
- Power Consumption: 250W (at standby, 0.2W)
- Function: General, Thick, Eco, Sheet/ Blanket Self clean
- Gas Consumption: 4.65kW (4000kcal/h)
- Weight (Body only): 33kg
- Power Cord Length: 1.5 meters

**Product Dimension** W650 D641 H684 (mm)

WM RM 4,750 EM RM 4,988



# AQUARIUS

Digital Thermostatic  
Instant Water Heater



Rinnai



**Triple Safety Protection**  
Shock proof protection  
3 stage thermal protection  
RCD protection



**ACTIVESHIELD**  
RCD rated 10 mA to cut  
off electricity in case of  
current leakage



**3 Memory  
Shower Mode**  
Cold, Eco (36°C),  
Hot (40°C)



**Thermostatic  
Constant Temp**  
Dual thermistor



**Low Pressure**  
Pump Activator



**Energy Saving**  
DC Inverter  
55w turbo pump

## Elevate Your Shower Experience

The Aquarius Series Digital Thermostatic Instant Water Heater is designed for those who seek simplicity, efficiency, and elegance in their daily routine. With its innovative Thermostatic Constant Temperature (TCT) technology, this model ensures that your shower temperature stays within a precise  $\pm 1^{\circ}\text{C}$  range, guaranteeing your perfect comfort. The one-touch mode allows users to easily switch between Cold, Eco (36°C), and Hot (40°C) settings without the hassle of manual adjustments.



### 3-Way Shower Selector

The Selector Button is built into the grip for easy access, allowing you to switch the spray with a single hand.



### Mix Spray

Combines rich yet soft and strong revitalizing water texture.



### Saturating Spray

Intense jets of micro-droplets to cleanse your body from lethargy



### Spot Spray

Concentrated spray to relax tense area



### REI-F380DP-BL Aquarius Electric Water Heater

- Silent DC Inverter Pump
- Constant Temperature Control
- 3-Multi Spray Handshower
- Anti-Twist Hose
- Touch Sensor Control
- RCD Protection
- 3 Stage Thermal Protection
- Shock Proof Protection
- Anti Leak Heater Tank

**Product Dimension** W220 D79 H390 (mm)

**WM RM 858 EM RM 900**

### RRS-B2XX Rainshower Accessory

Extra Large Rainshower Head (8 inches)  
Hot / Normal Water Faucet  
Handshower + 1.5m Hose not included

**WM RM 328 EM RM 345**





# Handcrafted Series



**SSH-1B-01  
Single Bowl**

- Overall Dimension : 440 x 440 (mm)
- Bowl Dimension : 400 x 400 (mm)
- Bowl Depth : 230 (mm)
- Cut-out Dimension
  - Overmount : 420 x 420 (R10 mm)
  - Undermount : 400 x 400 (R10 mm)
- Material : 304 Grade Stainless Steel
- Thickness : 1.2mm
- Finishing : Satin

**WM RM 1,214 EM RM 1,275**



**SSH-1B-02  
Single Bowl**

- Overall Dimension : 750 x 440 (mm)
- Bowl Dimension : 710 x 400 (mm)
- Bowl Depth : 230 (mm)
- Cut-out Dimension
  - Overmount : 730 x 420 (R10 mm)
  - Undermount : 710 x 400 (R10 mm)
- Material : 304 Grade Stainless Steel
- Thickness : 1.2mm
- Finishing : Satin

**WM RM 1,598 EM RM 1,678**



**SSH-2B-03  
Double Bowl**

- Overall Dimension : 750 x 440 (mm)
- Bowl Dimension : 340 x 400 (mm)  
(Both have same dimension)
- Bowl Depth : 230 (mm)
- Cut-out Dimension
  - Overmount : 730 x 420 (R10 mm)
  - Undermount : 710 x 400 (R10 mm)
- Material : 304 Grade Stainless Steel
- Thickness : 1.2mm
- Finishing : Satin

**WM RM 1,982 EM RM 2,082**



**SSH-2B-04  
Double Bowl**

- Overall Dimension : 870 x 440 (mm)
- Bowl Dimension : 450 x 400 (mm) (Big)  
: 350 x 400 (mm) (Small)
- Bowl Depth : 230 (mm)
- Cut-out Dimension
  - Overmount : 850 x 420 (R10 mm)
  - Undermount : 830 x 400 (R10 mm)
- Material : 304 Grade Stainless Steel
- Thickness : 1.2mm
- Finishing : Satin

**WM RM 2,101 EM RM 2,207**



**S3FB-01S  
LED 3-Flow Kitchen Mixer with Filter - '7' Spout**

- 3-Flow Hot/Cold/Filtered Drinking Water
- LED Filter Indicator
- Quick & Easy Fit
- Top Mount Fitting
- Lead-Free Stainless Steel
- Hairline Finishing
- 304 Stainless Steel PEX Flexible Hose
- Ceramic Cartridge
- Compatible With Most Filter System

**WM RM 2,002 EM RM 2,103**



**SMB-01B  
Brass Kitchen Mixer | '7' Spout**

- "7" Spout
- Hot & Cold Tap Water
- Aerator Technology
- Quick & Easy Fit
- Top Mount Fitting
- Brass Material
- Chrome Plated Finishing
- 304 Stainless Steel PEX Flexible Hose
- Ceramic Cartridge

**WM RM 1,058 EM RM 1,111**